RoboCup: Humanoids as a Testbed for Measuring Performance

RoboCup

Minoru Asada Adaptive Machine Systems Osaka University, JAPAN August 13th, 2002 PerMES-02@NIST

RoboCup 2002 Fukuoa/Busan

- The Biggest RoboCup since 1997
 - 1004 participants, 188 teams from 30 nations around world, and about 1000 media people.
 - ♦ About 120,000 visitors during one press day and four open public days
- The first humanoid robot league
 - ♦ 13 teams from 6 nations
- ROBOTREX (Robot Trade & Exhibitions)
 - lacktriangle 50 companies, universities, and instittutes

Outline of my talk

- Robot technology
 What's robot?
- ▼ What S lobot :
- RoboCup
 - **♦** Purpose, Current State, and Issues.
- Technological issues towards finial goal: Humanoid league
 - **♦** Levels of autonomy
 - ♦ One leg standing, walk, PK, and free style

Roboto Heros and Heroines

















shat taabnalagiag



What's robot? (I)

- Perception
 - ♦ See, Listen, Smell,...
 - **♦** Somatosensory
- Cognition and Decision
 - ♦ What's that? Do that and then,...
- Action
 - ♦ Walk, Run, Kick, Grasp,...




H


History of robotics (I)




- The term robot comes from the Czech word robota, meaning drudgery or slave-like labor, and from the old church Slavonic robota, meaning servitude.
- It was first used to describe fabricated workers in a fictional 1920s play by Czech author Karel Capek called Rossum's Universal Robots.
- Three laws of robtics by Asimov
 - Special purpose or general pupose

 → Healing and communication










- Adaptation/Learning
 Intelligent robots
- Intelligent robots





What's RoboCup?


An attempt to foster intelligent robotics research by providing a standard problem











Why RoboCup? (I)

- Landmark Project:
 - to set a goal high enough so that a series of technical breakthroughs is necessary to accomplish the task
 - this set of technologies should form the foundation of a next generation of industries
 - **♦** widely appealing and exciting

Ultimate Goal --->

To beat the human world cup champion team by a team of 11 humanoids

Why RoboCup? (II)

- Standard Problem:
 - a systematic approach to promote research using common domain, soccer!
- **■** Comparison with "Chess Problem"

	Chess	RoboCup
Environmen	nt Static	Dynamic
State Chang	ge Turn tal	king Real time
Info. accessi	bility Complet	e Incomplete
Sensor Read	lings Symbolic	Non-symbolic
Control	Central	Distributed

Research Issues in RoboCup (I)

- Mechanical design for individual robots
- Robust Sensing, especially, vision (object
- discrimination and tracking)

 Self-localization and map building
- Control Architecture
- Communication

Research Issues in RoboCup (II)

- Multi agent gratema in general
- Multi-agent systems in general
 - Behavior learning for complex tasksCombining reactive and modeling
 - approaches
 - Real-time recognition, reasoning, planning, and action execution in a dynamic environment
 Cross modal association (Sensor fusion)
 - Strategy acquisition
 - Strategy acquisition
 - Cognitive modeling in general

Divisions of RoboCup

- RoboCupSoccer
 - **♦** Simulation: Coach, Visualization
 - **♦** Real robot: Small, Middle, Legged, and Humanoid
- RoboCupRescue
 - ◆ Simulation and real robot
- RoboCupJunior
 - ◆ Soccer, Dance, and Rescue

Soccer Simulation League

 Low cost, Stamina model, 11 v.s. 11, limited perception, broadcasting





■ Secondary Domain → RoboCup-Rescue

Soccer Simulation League

- TeamworkOn-line learning
- Coach competition
- Visualization





Real Robot Leagues


- Small Size league: A table tennis table, an orange golf ball, and global vision..
- Middle Size league: 3X3 table tennis tables, an official soccer ball, and local vision..



Real Robot Leagues (cntd.)

- Legged league: Sony AIBO Type robots, 4 on 4.
- Humanoid league: Four classed according to the size. One leg standing, walk, PK, and free style








- fabric ■ 2002, enlargement of the filed to encourage
- the team plays.



Middle-size league Fully distributed system, but centralized control is OK! Evolution from individual behavior to team plays. sgi


Middle-size league (cntd.)


 Global reconstruction by LRFs (C. S. Freiburg, Germany)




Middle-size league (cntd.)

- 1997~ 5 on 5 Footsul-4 ball
- 2000~ 4 on 4 Footsul-5 (official ball)
- Omni-directional vision, Reactive behavior, and social ones.







Legged league

- Programming competition based on the same platform
- 1998: exhibision (Osaka U., CMU, Paris-VI)
- 1999~: Official league $(2m \times 3m, 3 \text{ on } 3)$



Legged league (cntd.)

- Various kinds of behaviors: Ball handlingTeamwork: social behavior based on
- vocal communication






Legged league (cntd.)

- 2001~: New platform
- $2002\sim:3m\times4m$, 4 on 4, wireless





Humanoid league

- 2002: the first humanoid robot soccer.
- 4 kinds of size: 40cm, 80cm, 120cm, 180cm
- Perfomance factor towards fully autonomous humanoid robot: Platform, power supply from
- outside, remote brain, human control
 Japan (5), Sweden (3), Singapore (2), New Zealand, Australia, Denmark



Why humanoid robot?

- One extreme application: test-bed for brain science.
- Current application: entertainment, pet robots.
- 通源
- Another extreme application: practical use in our daily life??? → HRP by government.





Perfomance Factor

- We would like to trigger developments towards fully autonomous self-build humanoid robots.

 Therefore we took so-called *performance factors* for
- Therefore we took so-called *performance factors* for the different dimensions with regard to autonomy.
 - external power cord
 computer outside robot
 - 3. remote control
 - 3. remote contro
 - 4. Platform
- Each were to be 1.2 and if more then one is applicable then they are multiplied (1.2, 1.44, 1.728, 2.0736).

Perfomance Factor (cntd.)

- These factors were either used
- as penalty factor in the walking the time was multiplied by them or
 - 2. as handicap (in penalty kiccking the score was divided by them).
- They are working quite well (with regard to the above stated intention) and will certainly prefer the more autonomous robots but will also allow for semi-autonomous ones if their performance is much better then that of the autonomous ones. No changes needed.

Challenges: stand on one leg

- This is definitely no problem for most of the humanoid robots or it shouldn't be one while it is one for humans! It is a wonderful entry if the audience is also involved in this. It was done in Fukuoka by asking everybody in the audience to perform this challenge together with
 - the robots.






Challenges: walking

- A round trip of humanoid walking along the way of five times its height.
- Every touch of a human during the walking gives a penalty which is linearly increasing: 20 sec/1st touch, 40 sec/2nd touch, 60 sec/3rd touch etc.
- Champion:
 - ♦ Nagara (Japan)
 - ♦ 81.64, and 61 seconds
 - ♦ 3.29 (p/f: 1.0)
- Second:
 - ◆ Robo-Erectus (SG)◆ 209, 109, and 183 secs.
 - ♦ 4.932 (p/f: 1.2)



Challenges: Penalty kick

- Total behavior coordination with walking, one leg standing, kicking, and balancing.
- The physical height of the striking robot was used to determine the distance between ball and striker while the measurements of the goals were only available for the two categories (40 cm and 80 cm height).



Challenges: Penalty kick (cntd.)

- First, to give the striker a realistic chance we introduced a 5 sec latency after the starting whistle before the goalie may start to walk towards the ball to reduce the angle which could be used to score a goal.
- Second, the line of the goal area was used a strict demarcation line to avoid the collision.
- The was so light that it often went astray due to small uneven parts in the field.





Challenge: free style

 Honda Asimo's example performance and digest from humanoid league.




Humanoid league: photos




Humanoid league: issues


- Performance factor: what values and how to apply?
- Stand on one leg: difficult to decide real time sensor feedback or open loop. Introduction of disturbance to check it.
- PK: from PK to 2 on 2!
- Free style: A test bed for humanoid research in general


RoboCupRescue Simulation











Time table ■ Spring, 2003: regional events: Japan Open.

- German Open, US Open ■ July, 2003: The seventh RoboCup at Padoa,
 - Italy
- July, 2004: The eighth RoboCup at Lisbon, **Portugal**

Acknowledgement

Future Issues

- RoboCup Federation,
- NPO RoboCup Japanese Committee
- Humanoid Chair: Prof. Dr. Thomas Christaller http://www.robocup.org/

